2020 Consumer Confidence Report



Village of Mt. Zion Consumer Confidence Report For 2020

In 1996, the U.S. Congress and the president amended the Safe Drinking Water Act. They added a provision requiring that all community water systems deliver an **annual** water quality report to their customers. This report includes basic information on the source(s) of your water, the levels of any contaminants detected in the water, compliance with other drinking water rules, as well as some brief educational material.

This report is called the "Consumer Confidence Report."

Consumers who are familiar with the basic drinking water information in the CCR will not only help to make informed choices that affect the health of themselves and their families, they will also consider the challenges of delivering safe drinking water. Educated consumers are more likely to help protect drinking sources and be more understanding of the need to upgrade the treatment facilities that make their drinking water safe.

The Village of Mt. Zion purchases water from the City of Decatur. Although the village has limited authority in producing water quality, the village is still responsible for sampling, monitoring, and maintenance of the water distribution within the village limits. The Mt. Zion Water Department obtains over 20 water samples each month and monitors water quality daily.

At certain times, decisions affecting the water supply are made by the Village of Mt. Zion Board, which meets on the third Monday each month at 5:15 p.m., 1400 Mt. Zion Parkway, Mt. Zion, IL 62549. Information on Board meeting agendas may be obtained by calling the Village Clerk at 864-5424.

If you have any questions, please contact the Village Administrator at 864-5424.

For the year of 2019, your tap water met all other USEPA and State drinking water standards. This report summarizes the quality of water that we provided last year, including details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. We are committed to providing you with information about Decatur's drinking water so that you will be an informed consumer. If you have any questions about this report or concerning your water system, please call Keith Alexander, Water Production Manager, at 217-424-2863 or e-mail at kalexander@decaturil.gov.

Source Water

Our water drinking water is supplied by Lake Decatur and nine groundwater wells. Lake Decatur is 2,850 surface acres in size and is located entirely within the City limits of Decatur. The Sangamon River is the primary source of water for Lake Decatur, which has a drainage area of 925 square miles, 87% of which is used for growing corn and soybeans. When Lake Decatur water levels are low, the City uses wells located in Macon and Dewitt Counties to supplement the water supply. Currently, all water in the Village's distribution system flows through the Mt. Zion Pump House located at 1087 Baltimore Avenue. The City of Decatur feeds this pump house from their water tower located on South Franklin Street and a meter at Cannon Park (located at the intersection of Baltimore Avenue and Lost Bridge Road).

Source Water Assessment

The Source water assessment for our water supply has been completed by the Illinois EPA. If you would like a copy of this information, please stop by Village Hall or call our water operator at 217-864-4811. Illinois EPA considers all surface water sources of public water supply to be susceptible to potential pollution problems. Hence the reason for mandatory treatment of all public water supplies in Illinois. Mandatory treatment includes coagulation, sedimentation, filtration and disinfection. Primary sources of pollution in Illinois lakes can include agricultural runoff, land disposal (septic systems) and shoreline erosion. Due to the low geologic sensitivity of the wells and monitoring results, the Illinois EPA does not consider Decatur's wells to be susceptible to volatile organic contaminants (VOCs), synthetic organic contaminants (SOCs) or inorganic contaminants (IOCs). In accordance with Illinois EPA regulations, the wells each have a minimum protection zone of 200 feet.

Under the Clean Water Act Section 319, the U.S. EPA provides grants for the Illinois EPA to finance projects that demonstrate cost-effective solutions to nonpoint source (NPS) problems and promote public knowledge and awareness of NPS pollution. Section 319 projects funded for the Lake Decatur Watershed include the Upper Sangamon River Basin Water Quality Improvement Project and the Nutrient Management Plan Implementation. The Macon County Soil and Water Conservation District and the Agricultural Watershed Institute also administer several water quality improvement projects in the watershed.

Groundwater protection efforts have included Illinois EPA. To further minimize the risk to the city's groundwater supply, the Illinois EPA recommends that three additional activities be considered. First, the water supply staff may wish to revisit their contingency planning documents in order to ensure the plans are kept current, and the water department and emergency response staff are aware of and minimize their risk of being without safe and adequate water. Second, the water supply staff is encouraged to review and sustain their cross connection control program to ensure that it remains current and viable. Cross connections to either the water treatment plant or in the distribution system may negate all source water protection initiatives provided by the community. Finally, the Illinois EPA recommends that the city continue to evaluate

additional source water protection management options to address the regulatory and non-regulatory land use activities within the community wells' recharge area.

How is My Water Treated and Purified?

The treatment process consists of a series of steps. First, raw water is pumped from Lake Decatur to the South Water Treatment Plant. Chlorine dioxide is added to destroy bacteria and protozoan that may be in the raw water. The water then goes to mixing tanks where aluminum sulfate and calcium hydroxide are added for softening. The addition of these substances causes small particles to adhere to one another (called floc) making them heavy enough to settle into basins from which the floc is removed. Powdered activated carbon is also added for taste and odor control. Fine particles that remain after the basin treatment are removed in the filtration process, which consists of layers of sand and anthracite. After filtration, chlorine is added to maintain the disinfection process through the distribution system. Lastly, a small amount of fluoride is added to prevent dental decay. Water pressure is maintained in the distribution system to prevent the intrusion of any contaminants into our water mains.

Cryptosporidium in Drinking Water

Cryptosporidium is a microbial parasite found in surface water throughout the world. Although filtration removes Cryptosporidium, the most commonly used filtration methods cannot guarantee 100% removal. The monitoring of our raw water and finished water indicates the presence of these organisms only in the raw water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immunocompromised people are at greater risk of developing life-threatening illness. We encourage immunocompromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water. Steps taken to reduce this organism from entering Lake Decatur are part of ongoing watershed management programs.

Possible Contaminants

In order to ensure that tap water is safe to drink, USEPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline. (1-800-426-4791)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it can dissolve naturally occurring minerals and radioactive materials, and pick up substances resulting from the presence of animals or human activity. Substances that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations wildlife.
- Inorganic contaminants, such as salts and metals, which may be naturally occurring
 or result from urban storm water runoff, industrial or domestic wastewater
 discharges, oil and gas production, mining or farming.
- <u>Pesticides and herbicides</u>, which may come from a variety of sources such as agriculture, urban storm water runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and may also come from gas stations, urban storm water runoff and septic system
- <u>Radioactive contaminants</u>, which may be naturally occurring or be the result of oil and gas production and mining activities.

Special Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

What Are The Health Effects of Lead?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

During the past year, we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, morganic, or synthetic organic contaminants. The tables below show only those contaminants that were detected in the water. The state requires us to monitor for certain substances less often that once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken. We participated in the 3rd stage of the EPA's Unregulated Contaminant Monitoring Regulation (UCMR3) program by performing additional tests on our drinking water. UCMR3 benefits the environment and public health by providing the EPA with data on the occurrence of contaminants suspected to be in drinking water, in order to determine if the EPA needs to introduce new regulatory standards to improve drinking water quality

Decatur's Regulated Contaminants Detected:

Regulated Substances							The second secon
Substance (Units of Measure)	Year Sampled	MCL. [MRDL]	MCLG [MRDLG]	Amount Detected	Kange (low-high)	Violation	Typical Source
Atrazine (ppb)	2017	3	3 Company	0.4	ND - 0.4	No	Runoff from herbicide used on row crops
Barium (ppm)	2019	2	2	0,0094	0,0094 - 0,0094	No	Declare of drilling wastes; Declaring from meal reflaction; Ecosion of natural deposits
Chlorine (ppm)	2019	[4]	[4]		111	No	Water addrive used to control microbes
Chlorite (ppm)	2019		8'0	0.5	0.33 - 0.5	oN O	By product of droking water desrection
Fluoride (ppm)	2019	4	4	6.0	0.748 - 0.748	No	Eroson of natural deposits. Water additible that promotes scanny worth, Decharge from fertilizer and altuminum factories
Haloucetic Acids [HAA5]-Stage 2 (ppb)	2019	09	VN	20	6.36-26.2	o _N	By prodet of detaking water disaderson
Notrate(1) (ppm) [measured as Notrogen] - Notrate in drinking water at levels above 10 ppm is a health risk for infants less than six months of age. High intrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because rainfall or agricultural activity. If you are carring for an infant you should ask advice from your health care.	2019	10	10	9	0,008 - 5.6	2	Runoff from feetilizer use, Leaching from sopie, tasks, sewage; Efrosion of natural deposits
TTHM's [Total Trihalomethanes] (ppb)	2019	80	NA	- 89	22.67	No.	By-preduct of drinking water disinfection
Total Organic Carbon (2) (ppm)	2019	The percentage of met all TOC rem	The percentage of the Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set.	was measured each mo	nth and the system	No	Naturally present in the environment
Turbidity (3) (NTU)	2019	T	NA NA	0.11	NA	No	Selfmort
Turbidity (Lowest monthly percent of samples meeting limit	2019	TT=95% of samples <0.3 NTU	Š.	100	VN	No	Svel ranos

	Typical Source	Corrosion of household plumbing systems, Erosion of natural deposits	Corrosion of household plumbing systems, Erosion of natural deposits
91	Violation	No	No
	Sites above AL/ Total Sites	060	06/0
	Amount Detected	0.0232	0
munity.	MCLG	13	0
roughout the com	W	1.3	SI
s from sample sites th	Year Sampled	2017	2017
Tap water samples were collected for lead and copper analyse	Substance (Units of Measure)	Copper (ppm)	(pdd) prest

(Units of Measure)	Sampled	MRDL	[MRDLG]	Detected	(low-high)	Violation	Typical Source
Sodium (ppm)	2019	ž	×	7	7,4-7,4	o _N	Erosion nof naturally occuring deposits, Us

ary Substances	The Contract of the Contract o						
Substance (Units of Measure)	Year Sampled	SMCL	MCLG	Amount Detected	Range (low-high)	Violation	Typical Source
Chloride (ppm)	2017	250	NA	33.2	33.2-33.2	Š	Runofflheaching from natural deposits
Sulfate (ppm)	2017	250	NA	33.1	33.1-33.1	ž	RunofPleaching from natural deposits; Industria wastes
Total Dissolved Solids [TDS] (ppm)	2017	800	ž	75	194 - 194	oN	Runoff/Jeaching from natural deposits

Mt. Zion's Regulated Contaminants Detected

Maximum Contaminant Level Goal	Total Coliform Maximum Contaminant Level	Highest Number of Positive	Feeal Coliforn or E. Coli Maximum Contaminant Level	Total Number of Positive E. Coli or Fecal Coliforn	Violation	Likely Source of Contamination
0	1 positive monthly sample	-		0	2	Naturally present in the environment

	Action Level Goal	DATE THE PERSON				LINK to hear	h Alfestallow	(ALG): The level of a contaminant in the drinking water below which there is no known or exacted risk to health. ALGs allow for a margin of safter.
Definitions:	Action Level: The	concentration of s	concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow	iggers treatment or other	requirements which a	water system	m must follow	
Lead and Copper	Date sampled	MCLG	Action Level (AL.)	90th percentile	Number of sites over AL	Units	Violation	Violation Likely source of contamination
Lend	2019	0	15	0		qdd	ž	Corrosson of household plumbing systems, Erosion of

Water Quality Test Results

Maximum Contaminant Level Goal (MCLG):	The level of a contaminant in the drinking water below which there is no known or expected risk to health. MCLAss allow for a margin of salety.
Maximum Contaminant Level (MCL.);	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLOs as feasible using the best available treatment technology.
Maximum Residual Disinfectant Level Goal (MRDLG);	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control interobal contaminants.
Maximum Residual Disinfectant Level (MRDL);	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Level J Assessment: Level 2 Assessment:	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total

Definitions:	The following table	s contain scientifi	The following tables contain scientific terms and measures, some of which may require explanation	nay require explanation				
NA	Not applicable			A STATE OF THE PARTY OF THE PAR				
MREM	Millirems per year (a measure of radia	Milliretts per year (a measure of radiation absorbed by the body)					
PPR	Micrograms per lite	r or parts per billio	Micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water	water				
PPM	Milligrams per liter or	parts per million - c	Milligrams per liter or parts per million - or one ounce in 7,350 gallons of water	OALVAIL				
AVG:	Regulatory complai	nce with some MC	Regulatory complaince with some MCLs are based on running annual average of monthly samples	of monthly samples				
Treatment Technique (TT):	A required process	intended to reduce	A required process intended to reduce the level of conaminant in drinking water					
Regulated Contaminants								
Disinfectants and Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Violation Likely Source of Contamination
Chlorine	2019	1.3	1.13	MRDLG-4	MRDL = 4	mdd	No	Wate additive used to control microbes
Haloacetic Acids (HAA5) *	2019	20	16.8 - 24.2	No goal for the total	99	qdd	% N	By-product of denking water dismfection
Total Trihalomethanes (TTHM)	2019	69	29.3 - 77.8	No goal for the toul	98	qdd	oN.	By-product of drinking water disinfection
hon	11/13/2018	0.101	0-0.101		-	mdd	2	This contaminant is not currenty regulated by the USEPA. However, the state regulates. Froson of natural deposits.

Violutions Table

CCR Report

Charme - Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience (Chlorine - Some people who use water containing chlorine well in excess of the MRDL could experience

VIOLENCIA LYDIC	The second second	The second second	
Monitoring, Routine (DBP), Major	7/1/2019	9/30/2019	9(30/2019) We failed to test our distiking water for the contaminant and period indicated. Because of this failure, we cannot be sure of the quality of our drinking water during the period indicated.
Corrective Actions			
Date	Violation	1001	Description
8/15/2019	Monitoring, Routine (DBP)	nutine (DBP)	The proper number of samples were taken and tested within the standards. However, due to the lack of proper documentation by the Village of Mt. Zion, the Illinois EPA was unable to verify the validity of the testing. Since the date of the violation, the Village of Mt. Zion has taken the required samples and ensured proper documentation. The sample results have tested within the Illinois EPA standards.